

**METHOD AND APPARATUS FOR STORING AND ACCESSING MULTIPLE
CONSTANT BIT RATE DATA**

5

CROSS-REFERENCE TO RELATED APPLICATION

This application is a continuation of U.S. Patent Application Serial No. 09/458,337, filed on December 10, 1999 which U.S. Patent Application Serial No. 09/458,337 claims
10 benefit of U.S. Provisional Patent Application Serial No. 60/126,836 filed March 30, 1999.

BACKGROUND OF THE INVENTION

15 1. Field of the Invention

The invention relates to electronic data storage and access. More particularly, the invention relates to a method and apparatus for storing and retrieving multiple electronic
20 data streams having different bit rates.

2. Description of the Background Art

Multimedia systems store and retrieve video, audio and
25 other content from mass storage devices, e.g., disk drive arrays. One such system provides video-on-demand (VOD) to an end user. Such a VOD system stores video content in memory and retrieves the content upon demand. The VOD system then serves the video content to the end user requesting the video
30 content.

The VOD system uses a VOD server for storing and accessing video content or a plurality of video files. The VOD server processes the video content as data packets and stores the video content into extents or logical memory
35 blocks within a memory. The data packets generally comply

with one or more of the Moving Pictures Experts Group (MPEG) standards. To store these data packets in a redundant manner, the VOD server may stripe the video content over an array of disks within the memory. Each video file may occupy
5 several physical disk blocks or disk tracks within the disk drives.

Multimedia programs are encoded using various resolutions of encoding depending upon the content of the program, i.e., sporting events are encoded with higher
10 resolution than situation comedies. The bit rate of high-resolution encoded program is greater than a bit rate of a low-resolution encoded program. As such, for a given unit of program time, a high resolution encoded program generates more packets than are generated when forming a low resolution
15 encoded program. Consequently, a video server must be able to store a plurality of programs having constant bit rates. To facilitate storage of multiple constant bit rate programs, current servers require the bit rates of various programs to be integer multiple of one another such that the extents of
20 any given program are of equal size and the extents across programs are integer multiples of each other. Such a restrictive storage system is not flexible in providing storage of any form of programming, i.e., programs having non-integer bit rates. Consequently, current video servers
25 do not store programming in an optimal manner.

Therefore, there is a need in the art for an improved method and apparatus for storing and accessing multiple constant bit rate video programs wherein the bit rate of programming can be arbitrary.

30

SUMMARY OF THE INVENTION

The invention overcomes the disadvantages associated
35 with the prior art by a method and apparatus for defining

constant time length (CTL) extents to store packetized video streams having multiple constant bit rates (MCBR), i.e., each stream has a constant bit rate within the stream, but different as compared to other streams. Specifically, the method analyses the bit rate of a given stream and determines an appropriate length for a CTL extent within which to store data packets that comprise the stream. The extent is a number of bits that can be read from memory during a data read period for a given bit rate, rounded up to the next full packet. The method then stores the extents and pads some extents with a null packet, as needed, to compensate for accumulated partial packets of data. The null packets are referred to as dither null packets to differentiate them from the null packets that appear in a standard encoded video bitstream. Consequently, any bit rate stream can be stored in this manner with a minimum utilization of dither null packets. The extents are stored by striping them onto a disk array, i.e., one extent per disk drive, then wrapping from the last drive in the array to the first. The method repeats for each data stream such that a plurality of constant bit rate streams are stored.

To read the data from the array, the extents are recalled one at a time and temporarily stored in a buffer memory. A data pointer is used to access the packets from the buffer. The dither null packets are skipped such that the output stream of packets does not contain dither null packets. The packets are coupled to a multiplexer. The multiplexer combines the packets into a transport stream to deliver the packets of video data to a downstream user.

30

BRIEF DESCRIPTION OF THE DRAWINGS

The teachings of the present invention can be readily understood by considering the following detailed description in conjunction with the accompanying drawings, in which:

35

FIG. 1 shows a high level block diagram of a system for storing and retrieving data;

FIG. 2 shows process for storing MCBR data streams;

FIG. 3 shows a flow diagram of a routine for storing
5 multiple constant bit rate (MCBR) data streams into memory.

To facilitate understanding, identical reference numerals have been used, where possible, to designate identical elements that are common to the figures.

10

DETAILED DESCRIPTION

FIG. 1 depicts a high level block diagram of a video server system 100 for storing and retrieving data. The system 100 of FIG. 1 finds great utility in, e.g., a video of
15 demand (VOD) system, as described in U.S. Patent Application No. 08/984,710, filed December 3, 1997 and incorporated herein by reference. The system 100 comprises a server 102 and an array of storage disks 104₁, 104₂ ... 104_n, where n is an integer equal to the number of storage disks in an array used
20 to store and retrieve data. The server 102 comprises an access controller 108, a data buffer 110, and a multiplexer (MUX) 112. Other components and features of the system 100 not essential to the invention are not discussed herein.

In operation of the system 100, the server 102 receives
25 a data stream or video file from a video source 106 via signal path S1. The data stream is typically video content, such as a movie or live broadcast, in the form of an encoded and/or compressed bitstream using, illustratively, the MPEG-2 standard. The data stream is generally a sequence of data
30 packets. The packets may be standard MPEG packets or they may be special transport packets such as those described in U.S. patent application serial No. 09/458,339, filed December 10, 1999, (Attorney Docket 051) and is incorporated herein by reference.

The packets are organized into groups to facilitate storage. The groups of packets are known as extents. The video source 106 generally provides a plurality of constant bit rate video programs, i.e., MPEG bitstreams, having
5 arbitrary bit rates. Each program may have a different bit rate as compared to other programs such that programs of various video resolution are made available to a viewer. Thus, for a given length of programming time, more or less packets represent each program depending upon the encoding
10 parameters used to produce the encoded program.

The server 102 stores the data stream in a memory comprising an array of disks $104_1, 104_2 \dots 104_n$ or some storage medium. The array of disks $104_1, 104_2 \dots 104_n$ may be arranged in a Redundant Array of Independent Disks (RAID)
15 configuration as discussed in The RAIDbook: A Source Book for Disk Array Technology, Fourth Edition (1995). Each disk $104_1, 104_2 \dots 104_n$ in the array stores data as extents.

The server 102 stripes the data into array of disks $104_1, 104_2 \dots 104_n$ illustratively in the manner shown in U.S.
20 Patent 5,920,702, issued July 6, 1999 and incorporated herein by reference. The size of the extent is a constant time length (CTL) extent, where the extent represents a fixed period of programming time, i.e., a fixed number of encoded video frames. Each extent may store a plurality of data
25 packets that represent video content and a null packet, as needed. The use of null packets shall be described below.

When a user requests to view a particular video or data stream, the video session manager (not shown) of the system 100 sends a control or enable signal to the server 102. In
30 response to this signal, the access controller 108 of the server 102 retrieves the extents for the requested program from the array of disks $104_1, 104_2 \dots 104_n$. The server 102 then buffers the retrieved program in buffer 110 and, using MUX 112, combines the packets of the retrieved program with
35 those of other programs to form a transport stream on signal

path S2. The transport stream is coupled to a network and sent downstream to a user set top terminal for viewing.

FIG. 2 diagrammatically depicts the process used to store multimedia programming on the disk array 104 of FIG. 1.

5 For simplicity two encoded movies 200 and 202 are shown having bit rates b_1 and b_2 , where b_2 is greater than b_1 and both bit rates are arbitrary.

The process first computes an extent size for each movie. The extent size is equal to the bit rate of the movie
10 times the service interval over which the extent will be read from the disk drive. For example, if the bit rate for movie 1 (M_1) is 5 Mbps and the service period is 1.8 seconds, then the extent size will be 5984.04 packets (assuming 188 byte MPEG packets are used to carry the data). Since partial
15 packets can not be stored, i.e., cannot be divided over two extents, the process rounds up to the next full packet. Additionally, rounding up ensures that a data underflow condition will not occur at the decoder, i.e., more data is being supplied per service interval than is necessary. As
20 such, in this example, the extent size is 5985 packets.

As movie 1 is stored in these 5985 packet long extents, a fractional packet accumulation occurs that, if not compensated for, would add substantial amount of buffer memory needed to process a movie within a decoder. In the
25 example and as shown at reference number 208, a 0.96 fraction of a packet is accumulated with each extent such that after 2 extents more than full packet of accumulation occurs, i.e., 1.92 packets. To minimize the size of the buffer memory in the server, the invention compensates for the accumulation by
30 making the 5986th packet a null packet after a full packet of accumulation occurs. Without such null packet utilization, the buffer memory would accumulate a substantial number of packets, since the access controller would be providing more packets than are sent to users. In this example, after 2
35 extents have been stored, the 3rd extent (E_3) contains a null

packet (P_{null}). The null packet used for accumulation compensation is referred to as a dither null packet to differentiate the packet from a standard null packet that may appear in an MPEG stream.

5 The access controller maintains a sum of the fractional packet accumulation. As such, a fractional packet accumulation value is computed and, when a null packet is used, one packet is subtracted from the accumulation value and the remainder is used as the accumulation value to which
10 additional fractional packet values are added. In the example above, the first extent fractional value is 0.96 and the accumulated value after the second extent is 1.92 (i.e., 0.96 plus 0.96). Then, one dither null packet is used and the accumulation value falls to 0.92, but the third packet adds a
15 0.96 fractional packet to the accumulation value causing the accumulation value to rise to 1.88. As such, the fourth extent will contain a dither null packet. This process is repeated until the entire movie is stored in memory.

 The present invention typically stores packets that have
20 a header in which a special code is used to identify a dither null packet. This code is used to ensure that the dither null packets are removed from the data before the data is sent to a user. Sending such null packets would use bandwidth in the transmission channel for no reason. The
25 removal of dither null packets is described below.

 These extents are striped onto the disk array as shown in striping map 206, where movie 1, extent 1 (M_1E_1) is stored on disk drive 1 (D_1), then M_1E_2 is stored on D_2 and so on.

 If, for example and as shown at 202, the bit rate for
30 movie 2 (M_2) is 6 Mbps and the service period is 1.8 seconds, then the extent size will be 7180.85 packets (assuming 188 byte MPEG packets are used to carry the data). The process rounds up to the next full packet, to an extent size is 7181 packets. As movie 2 is stored in these 7181 packet long
35 extents, the fractional packet accumulation is a 0.15

fraction of a packet for each extent such that after 6 extents a full packet of accumulation occurs. The invention, as shown at 204, compensates for the fractional packet accumulation by using a dither null packet after a full packet of accumulation occurs. In this example, after 6 extents have been stored, the 7th extent (E_7) uses a dither null packet (P_{null}). The extents for movie 2 are stored on the disk drive array as shown in the striping map 206.

Using null packets in this manner, any arbitrary bit rate packet stream can be easily stored and the server uses a minimal sized buffer.

Returning to FIG. 1, upon a request for delivery of programming to a user, the program extents are recalled from the disk drives by the access controller 108. The extents are buffered in buffer 110. Since the server is simultaneously processing and fulfilling request form many users, the access controller interleaves the extent accesses of the various requested movies. Although the extents for a requested movie are generally accessed sequentially, they are not accessed contiguously. As such, a given movie's extents are placed in the buffer interspersed with other movie's extents. In fact, to minimize buffer size, an extent for a given movie is not added to the buffer until the previous extent has been read out of the buffer and sent to the user.

As the extents are stored in the buffer 110, the access controller monitors the packet headers within the extents to detect dither null packets. Once identified, the pointer that is used to access the packets for transfer to the multiplexer 112 is instructed to skip the dither null packets. As such, the dither null packets are not transferred to the multiplexer 112.

The multiplexer 112 is provided the buffered packets as needed to maintain a steady video signal at a user's television. The individual packets from the buffer 110 are positioned into a transport stream along with packets of many

other programs. The transport stream is transmitted along with as many as 270 other streams through a 1 G bps fiber optic channel to the user. The user's equipment extracts from the transport stream the packets associated with the requested program, decodes the packets, and displays the program.

FIG. 3 shows a flow diagram of a routine 300 for storing multiple constant bit rate (MCBR) data streams into a memory. The routine 300 begins with a start signal at step 302. The routine 300 then proceeds to step 304 to determine the extent size to use for the MCBR stream. As discussed above, the extent size (E) is the bit rate (BR) of the stream times the service interval (T_s) (i.e., the time required to read an extent from a disk drive to fulfill a user request).

The routine 300 then proceeds to step 308 to determine which of the extents will receive a dither null packet. The process maintains an accumulation value, as described above. This accumulation value is the sum of the fractional packet value that is contained in each extent. When the accumulation value reaches a value that is greater than or equal to one, a dither null packet is used. This reduces the accumulation value by one and the remainder is then used as the accumulation value to which the following extent's fractional value is added. Thus, step 308 uses the accumulation value to determine which of the extents will contain a dither null packet. used

At step 310, the server 102 stores the data stream into the extents as defined in step 306 and inserts dither null packets in the extents as determined in step 308. The extents are striped across the array as discussed with respect to FIG. 2.

After storing the extents, the routine 300 proceeds to step 312 to determine whether there are any more data streams to be stored. If there is additional data to receive, then the routine 300 returns to step 304 to receive and store an

additional data stream. If there is no additional data to receive, then the routine 300 proceeds to step 314 to stop the storage of MCBR data streams.

The numerical values used herein in FIGS. 1 to 3 are
5 illustrative and are not intended as limiting the invention. As such, other values and standards may be used without affecting the scope of the invention.

Although various embodiments which incorporate the teachings of the present invention have been shown and
10 described in detail herein, those skilled in the art can readily devise many other varied embodiments that still incorporate these teachings.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201